

Roof Design (RD)

Reference	Description
RD.1	TERMINOLOGY
RD.1.1	Roof
RD.1.2	Trusses
RD.1.3	Intro to Trusses Powerpoint

RD.2	MATERIALS
RD.2.1	Timber
RD.2.2.1	Nail Plates - General
RD.2.2.2	Nail Plates - Use in Corrosive Environments
RD.2.2.3	Nail Plates - Gaps Beneath Plates
RD.2.2.4	Nail Plates - Field Splice Plates
RD.2.3	Posi-Strut
RD.2.4.1	Roof Finishes - Tiles
RD.2.4.2	Roof Finishes - Flat Roof
RD.2.4.3	Roof Finishes - Warm Roofs
RD.2.5.1	Hangers - Hanger Types
RD.2.5.2	Hangers - Manual Design
RD.2.5.3	Hangers - Bearing Lengths
RD.2.5.4	Hangers - Pamir Fabricator Settings
RD.2.5.5	Hangers - Rotated Hangers in Roof Applications (ITW Cullen)
RD.2.5.6	Connections - Trusses and Girders - Wind Uplift
RD.2.6	Plywood
RD.2.7	Fixings
RD.2.8	Restraint Straps
RD.2.9	Other

RD.3	JOB TYPES
RD.3.1	Estimating
RD.3.2	Manufacture

RD.4	ROOF FEATURES
RD.4.1	Gable
RD.4.2	Hip
RD.4.3	T Intersection
RD.4.4	Attic
RD.4.5	Raised Tie
RD.4.5.1	Raising the Roof
RD.4.6	Dog leg corner
RD.4.7	Openings
RD.4.7.1	Openings - Roof Light Tolerances
RD.4.7.2	Openings - Framing at Roof Lights
RD.4.8	Dormers
RD.4.9	Towers/Turrets

RD.4.10	A Guide to Roof Surfaces
RD.4.11	Roof Features - Parapet Trusses

RD.5	TRUSSES/FRAMES
RD.5.1	Ways to Frame
RD.5.2	Trusses or Infill
RD.5.3	Where to use Girders
RD.5.4	Gable Ladders
RD.5.4.1	Gable Ladders - Non structural Items in Pamir
RD.5.5	Web Selection
RD.5.6	Cut Trusses - Attics
RD.5.7	Feature Trusses
RD.5.8	Valley Trusses
RD.5.9	Reinforcement / Scabs
RD.5.10.1	Multi-Part Trusses - Field Splice Plate
RD.5.10.2	Multi-Part Trusses - Pole Plate / Lapped
RD.5.11	Attic Trusses - Non-standard support details

RD.6	THINGS TO CONSIDER
RD.6.1	Matching Existing Roof
RD.6.2	Drawing Scales
RD.6.3	Future Use
RD.6.4	Eaves Details
RD.6.5	GRP Dormers
RD.6.6	Minimum Timber Sizes
RD.6.6.1	Maximum Truss Spans
RD.6.7	Centres
RD.6.8.1	Large Projections - Gables
RD.6.8.2	Large Projections - Eaves
RD.6.8.3	Large Projections - Hip
RD.6.9.1	Ceiling Construction - Suspended Ceiling
RD.6.9.2	Ceiling Construction - Exposed Ceiling
RD.6.10	Design Principles - Span to Depth Ratio
RD.6.11	Design Principles - External Wall Members Designed as Trusses
RD.6.12	Design Principles - Infill Rafters carrying ceiling finishes

RD.7	DESIGN FOR MANUFACTURE
RD.7.1	Match Groups
RD.7.2	Economy

RD.8	DESIGN FOR TRANSPORT
RD.8.1	Height Restriction
RD.8.2	Length Restriction

RD.9	DESIGN FOR ERECTION
RD.10	DESIGN RESPONSIBILITIES

RD.11	BRACING
RD.11.1	Responsibilities
RD.11.2	Wall Bracing
RD.11.3	Stability Bracing
RD.11.3.1	T-Braces
RD.11.4	Out-of-plane Restraint
RD.11.5	Wind Girders
RD.11.6	Wind Posts
RD.11.7	Ply/OSB Bracing
RD.11.8	Cantilevers/Stubs
RD.11.9	Attic Strutting
RD.11.10	Stress Reversal
RD.11.11	PD6693-1 - Wall Plate Connections

RD.12	ENGINEERING PRINCIPLES
RD.12.1	CSI
RD.12.2	Moment
RD.12.3	Tension / Compression
RD.12.4	EC5 Vibration checking
RD.12.5	Support Fixity
RD.12.6	Other
RD.12.7.1	Deflection - Horizontal
RD.12.7.2	Deflection - Compound
RD.12.7.3	Deflection - Differential
RD.12.7.4	Deflection - 14mm Limit for Attic Trusses
RD.12.7.5	Deflection - Deflections in Pamir
RD.12.7.6	Deflection - Node Check - Absolute Global
RD.12.8.1	Loading - Types
RD.12.8.2	Loading - Duration
RD.12.8.3	Loading - Actions
RD.12.8.4	Loading - Load Paths
RD.12.8.5	Loading - Site Location
RD.12.8.6.1	Loading - Snow Drift
RD.12.8.6.2	Loading - Snow Drift - Spreadsheet
RD.12.8.7.1	Loading - Wind Uplift
RD.12.8.7.2	Loading - Wind Uplift - Resolving Issues in Pamir
RD.12.8.7.3	Loading - Wind - Effect of building size
RD.12.8.7.4	Loading - Wind - Use of wind zones
RD.12.8.7.5	Loading - Wind - Open sided buildings
RD.12.8.8	Loading - Materials List
RD.12.8.9.1	Loading - Special Loads - Attic / Non-Attic Space
RD.12.8.9.2	Loading - Special Loads - Sliding Partitions
RD.12.8.9.3	Loading - Special Loads - Care Homes / Hotels
RD.12.8.9.4	Loading - Special Loads - Hoists

RD.12.8.9.4s	Loading - Special Loads - Hoists - how to apply
RD.12.8.9.5	Loading - Special Loads - Plant
RD.12.8.9.6	Loading - Special Loads - Roof Safety Anchors
RD.12.8.9.7	Loading - Stair Loadings in Pamir
RD.12.8.9.8	Loading - Special Loads - False Chimney
RD.12.8.9.8A	Loading - Special Loads - False Chimney - Detailed Assessment
RD.12.8.9.9	Loading - Special Loads - Large Roof Lights and Lanterns
RD.12.8.9.10	Loading - Special Loads - GRP Dormers
RD.12.8.9.11	Loading - Special Loads - Solar Panels
RD.12.9	Bearing Design
RD.12.9.1	Bearing Design - Bearings narrower than supported members
RD.12.10	Design Considerations for certain non-triangulated trusses
RD.12.10.1	Non-triangulated trusses - Design Improvements
RD.12.11	Pamir - EC5 Basics of Design
RD.12.12	Pamir - EC5 Calculation Tables Description
RD.12.13	Exposure Settings for Load Appliance

RD.13	MATHS
RD.13.1	Trigonometry
RD.13.2	Units
RD.13.3	Calculating Loads

RD.14	GIRDER CONNECTIONS
RD.14.1	Nails / Screws / Bolts
RD.14.2	Factory Connections
RD.14.3	On-site Connections

RD.15	REMEDIAL WORKS
RD.15.1	Responsibilities
RD.15.2	What MiTek permits in Pamir
RD.15.3	Notching / Drilling zones
RD.15.4	Plywood Specifications

RD.16	LIFTED ROOFS
RD.16.1	Designs in Pamir
RD.16.2	Typical Details

RD.17	FIRE
RD.17.1	Latest Test Data
RD.17.2	30 Minute Requirements
RD.17.3	60 Minute Requirements

RD.18	MANUFACTURE
RD.18.1	Truss Production Manual
RD.18.2	Requests for Product Guarantees in Relation to Trussed Rafters

RD.18.3	Mark 8 A-Frame and Boom Basic Truss setting out (without laser)
---------	---

RD.20	POSI-RAFTERS
RD.20.1	Standard Details
RD.20.2	Support Details
RD.20.3	Bracing / Restraint
RD.20.4	Tilted Posi-rafter Roofs

RD.21	POSI-ATTICS
RD.21.1.1	Design Considerations
RD.21.1.2	Pamir Input
RD.21.1.3	Manufacturing Details
RD.21.1.4	Bracing of Posi-Attics
RD.21.2	Existing Powerpoint Explaining Product
RD.21.3	Do's and Don't's
RD.21.4	Limitations
RD.21.5	Where to Utilize